Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

sources	recorded Record	-AHON (20) 2013/2	o13 with regard to energ	by labelling of light	
Supplier's name	e or trade mark:	OSRAM			
Supplier's address: LEDVANCE GmbH, Parkring 33, Garching, Germany					
Model identifie	r: AC34363				
Type of light so	urce:				
Lighting technol	logy used:	HPS	Non-directional or directional:	NDLS	
Light source cap-type (or other electric interface)		E27			
Mains or non-mains:		NMLS	Connected light source (CLS):	No	
Colour-tuneable	e light source:	No	Envelope:	Second	
High luminance	light source:	No			
Anti-glare shield	d:	No	Dimmable:	Yes	
		Product para	meters	,	
Parameter		Value	Parameter	Value	
		General product p	T		
Energy consumption in on- mode (kWh/1000 h), rounded up to the nearest integer		75	Energy efficiency class	G	
Useful luminous flux (фuse), indicating if it refers to the flux in a sphere (360°), in a wide cone (120°) or in a narrow cone (90°)		5 900 in Sphere (360°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	2 000	
On-mode pexpressed in W	oower (P _{on}),	75,0	Standby power (P _{sb}), expressed in W and rounded to the second decimal	0,00	
Networked standby power (P _{net}) for CLS, expressed in W and rounded to the second decimal		-	Colour rendering index, rounded to the nearest integer, or the range of CRI-values that can be set	25	
Outer dimensions	Height	155	Spectral power	See image	
	Width	71	distribution in the	in last page	
without	Depth	71		Page 1 /	

separate control gear, lighting control parts and non- lighting control parts, if any (millimetre)		range 250 nm to 800 nm, at full-load	
Claim of equivalent power ^(a)	-	If yes, equivalent power (W)	-
		Chromaticity coordinates (x and y)	0,535

(a)'-': not applicable; (b)'-': not applicable;

