## **Product Information Sheet**

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

Supplier's name or trade mark: MAUL	
-------------------------------------	--

Supplier's address: Jakob Maul GmbH, Jakob-Maul-Str. 17 D-64732 Bad König

Model identifier: 8201209.200

rounded to the second decimal

Height

Width

Depth

Outer

without

dimensions

Type of light source:	Type	of light	source:
-----------------------	------	----------	---------

Type of light source:			
Lighting technology used:	LED	Non-directional or directional:	NDLS
Light source cap-type	Kabelöse zum		
(or other electric interface)	Schrauben		
Mains or non-mains:	NMLS	Connected light source (CLS):	No
Colour-tuneable light source:	No	Envelope:	-
High luminance light source:	No		
Anti-glare shield:	No	Dimmable:	Yes
	Product para	meters	
Parameter	Value	Parameter	Value
	General product	parameters:	
Energy consumption in on- mode (kWh/1000 h), rounded up to the nearest integer	3	Energy efficiency class	E
Useful luminous flux (φuse), indicating if it refers to the flux in a sphere (360°), in a wide cone (120°) or in a narrow cone (90°)	367 in Sphere (360°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	6 500
On-mode power (P <sub>on</sub> ), expressed in W	2,9	Standby power (P <sub>sb</sub> ), expressed in W and rounded to the second decimal	0,00
Networked standby power (P <sub>net</sub> ) for CLS, expressed in W and	-	Colour rendering index, rounded to	83

43

43

3

the nearest integer, or the range of CRIvalues that can be

distribution in the

power

Spectral

See image

in last page

separate control gear, lighting control parts and non- lighting control parts, if any (millimetre)		range 250 nm to 800 nm, at full-load			
Claim of equivalent power <sup>(a)</sup>	Yes	If yes, equivalent power (W)	33		
		Chromaticity	0,312		
		coordinates (x and y)	0,328		
Parameters for LED and OLED light sources:					
R9 colour rendering index value	e 7	Survival factor	1,00		
the lumen maintenance factor	0,96				

(a)'-': not applicable; (b)'-': not applicable;

