Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

Supplier's name or trade ma	ırk: MAUL
-----------------------------	-----------

Supplier's address: Jakob Maul GmbH, Jakob-Maul-Str. 17 D-64732 Bad König

Model identifier: 8205209.200

Tvi	рe	of	lig	ht	SO	urce	:
. , ,		•	о		-		•

without

Depth

. ,,	terplatten lussklemmen NMLS No No	Non-directional or directional: Connected light source (CLS): Envelope:	NDLS No
(or other electric interface) Mains or non-mains: Colour-tuneable light source: High luminance light source:	NMLS No No	source (CLS):	No
Mains or non-mains: Colour-tuneable light source: High luminance light source:	NMLS No No	source (CLS):	No
Colour-tuneable light source: High luminance light source:	No No	source (CLS):	No
High luminance light source:	No	Envelone:	
-		Livelope.	-
Anti-glare shield:			
	No	Dimmable:	Yes
F	Product param	neters	,
Parameter Value	!	Parameter	Value
Gene	ral product pa	arameters:	
Energy consumption in on- mode (kWh/1000 h), rounded up to the nearest integer	20	Energy efficiency class	F
· · · · · · · · · · · · · · · · · · ·	2 248 in nere (360°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	6 500
On-mode power (P _{on}), expressed in W	20,0	Standby power (P _{sb}), expressed in W and rounded to the second decimal	0,00
Networked standby power (P _{net}) for CLS, expressed in W and rounded to the second decimal	-	Colour rendering index, rounded to the nearest integer, or the range of CRI-values that can be set	81
Outer Height	540	Spectral power	See image
dimensions Width	55	distribution in the	in last page

11

separate control gear, lighting control parts and non- lighting control parts, if any (millimetre)		range 250 nm to 800 nm, at full-load			
Claim of equivalent power ^(a)	Yes	If yes, equivalent power (W)	139		
		Chromaticity	0,312		
		coordinates (x and y)	0,328		
Parameters for LED and OLED light sources:					
R9 colour rendering index value	-2	Survival factor	1,00		
the lumen maintenance factor	0,95				

(a)'-': not applicable; (b)'-': not applicable;

