Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

Supplier's name or t	trade mark:	MAUL
----------------------	-------------	------

Supplier's address: Jakob Maul GmbH, Jakob-Maul-Str. 17 D-64732 Bad König

Model identifier: 8266009.200

Tvi	рe	of	lig	ht	SO	urce	:
. , ,		•	о		-		•

dimensions

without

Width

Depth

Lighting technology used:	LED	Non-directional or directional:	NDLS
Light source cap-type	Leiterplatten		
(or other electric interface)	Anschlussklemmen		
Mains or non-mains:	NMLS	Connected light source (CLS):	No
Colour-tuneable light source:	No	Envelope:	-
High luminance light source:	No		
Anti-glare shield:	No	Dimmable:	Yes
	Product parar	neters	
Parameter	Value	Parameter	Value
	General product p	arameters:	
Energy consumption in or mode (kWh/1000 h), rounde up to the nearest integer		Energy efficiency class	F
Useful luminous flux (фuse indicating if it refers to the fluin a sphere (360°), in a wide cone (120°) or in a narrow cor (90°)	x Sphere (360°) e e	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	6 500
On-mode power (P _{or} expressed in W), 17,1	Standby power (P _{sb}), expressed in W and rounded to the second decimal	0,00
Networked standby power (Pne for CLS, expressed in W an rounded to the second decima	d	Colour rendering index, rounded to the nearest integer, or the range of CRI-values that can be set	82
Outer Height	234	Spectral power	See image

186

10

distribution in the

in last page

separate control gear, lighting control parts and non- lighting control parts, if any (millimetre)		range 250 nm to 800 nm, at full-load		
Claim of equivalent power ^(a)	Yes	If yes, equivalent power (W)	119	
		Chromaticity	0,312	
		coordinates (x and y)	0,328	
Parameters for LED and OLED light sources:				
R9 colour rendering index value	-3	Survival factor	1,00	
the lumen maintenance factor	0,95			

(a)'-': not applicable; (b)'-': not applicable;

