

DELTA flaeche IP44, AP Dark gray/light gray SCHUKO socket outlet  
 2-fold horizontal, 10/16A 250V With screwless Connection terminals  
 with spring flap, 75x 134 mm



Model	
Cover version	complete enclosure
Design of the special power supply unit	without special current supply
Design of the socket / according to VDE 0620 for severe conditions	No
Design of the phase tap	No
General technical data	
Marking / of socket outlet	without imprint
Mounting type	fixing with screw
Surface processing	others
Material	others
Supply voltage	
Operating voltage / Rated value	250 V
Protection class	
Protection class IP	IP44
Main circuit	
Operating current / Rated value	16 A

## Appearance

Color grey

## Product details

### Product component

- Ejection equipment No
- Labeling field No
- Increased touch protection No
- Fault current protection No
- miniature fuse No
- Integrated / functional lighting No
- Integrated / Light source No
- Integrated / orientation lighting No
- Hinged lid Yes

### Product feature

- lockable No
- halogen-free Yes
- transparent No

## Product function

### Product function

- Socket selectable No
- Overvoltage protection No

## Number

Number of units 2

Number of sockets / switchable 0

## Connections

Arrangement of contacts / diagonal No

Type of electrical connection plug terminal

## Mechanical Design

Height 132 mm

Width 75 mm

Depth 54 mm

Mounting type surface mounted

Material / of the enclosure plastic

## Certificates

General Product Approval	Declaration of Conformity	Test Certificates
--------------------------	---------------------------	-------------------



ÖVE



VDE



EG-Konf.

[Miscellaneous](#)

[Type Test Certificates/Test Report](#)

### Further information

**Information- and Downloadcenter (Catalogs, Brochures,...)**

<http://www.siemens.com/lowvoltage/catalogs>

**Industry Mall (Online ordering system)**

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=5UB4722>

**Service&Support (Manuals, Certificates, Characteristics, FAQs,...)**

<https://support.industry.siemens.com/cs/ww/en/ps/5UB4722>

**Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)**

[http://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=5UB4722](http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=5UB4722)

**CAX-Online-Generator**

<http://www.siemens.com/cax>

**Tender specifications**

<http://www.siemens.com/specifications>

