

DELTA flaeche IP44, AP Dark gray/light gray button, 10A 250V, 66x75 mm w. transparent window (neutral/ light), with lamp 5TG7332



Model	
Product brand name	DELTA
Design of the product	single pushbutton
Design of the switching function	1 NO contact
Type of composition	basic element with complete enclosure
Design of the operating mechanism	pushbutton/momentary pushbutton
General technical data	
Printed marking	Light symbol
Mounting type	fixing with screw
Surface processing	others
Material	others
Supply voltage	
Operating voltage / Rated value	230 V
Protection class	
Protection class IP	IP44
Switching capacity	
Switching capacity current	10 A

Main circuit

Operating current / rated value 10 A

Appearance

Appearance shiny

Color grey

Product details

Product component

- Labeling field No
- Integrated / Light source Yes
- Signaling contact No

Product feature

- halogen-free Yes
- transparent No

Number

Number of actuating rockers 1

Mechanical Design

Height 75 mm

Width 66 mm

Depth 54 mm

Mounting type surface mounted

Material / of the enclosure plastic

Certificates

General Product Approval

Declaration of Con-
formity

Test Certificates



ÖVE



VDE



EG-Konf.

[Type Test
Certificates/Test Report](#)

Further information

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=5TD4705>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/5TD4705>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=5TD4705

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>

