

DELTA pushbutton device insert, UP 1 change-over contact can be used as NC contact 10A 250V



Model	
Product brand name	DELTA
Product designation	Pushbutton insert
Design of the product	single pushbutton
Design of the switching function	1 changeover contact
Type of composition	basic element
Design of the operating mechanism	pushbutton/momentary pushbutton

General technical data	
Printed marking	Without
Mounting type	fixing with claw and screw
Surface processing	others
Material	others

Supply voltage	
Operating voltage / Rated value	250 V

Protection class	
Protection class IP	IP20

Switching capacity	
--------------------	--

Switching capacity current	10 A
----------------------------	------

Main circuit

Operating current / rated value	10 A
---------------------------------	------

Appearance

Appearance	not applicable
Color	miscellaneous

Product details

Product component	
<ul style="list-style-type: none"> • Labeling field • Integrated / Light source • Signaling contact 	No No No
Product feature	
<ul style="list-style-type: none"> • halogen-free • transparent 	Yes No




Number

Number of actuating rockers	1
-----------------------------	---

Mechanical Design

Height	70 mm
Width	70 mm
Depth	32 mm
Mounting type	flush mounted
Material / of the enclosure	metal

Certificates

General Product Approval	Declaration of Conformity	Test Certificates
 ÖVE	 VDE	 EG-Konf.
		Type Test Certificates/Test Report
		Miscellaneous

Further information

- Information- and Downloadcenter (Catalogs, Brochures,...)**
<http://www.siemens.com/lowvoltage/catalogs>
- Industry Mall (Online ordering system)**
<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=5TD2123>
- Service&Support (Manuals, Certificates, Characteristics, FAQs,...)**
<https://support.industry.siemens.com/cs/ww/en/ps/5TD2123>
- Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)**
http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=5TD2123
- CAX-Online-Generator**
<http://www.siemens.com/cax>
- Tender specifications**
<http://www.siemens.com/specifications>

