

**Industrial Ethernet  
IE-CSQS9VE0260AQEAQE-K1**

**Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 16  
D-32758 Detmold  
Germany  
Fon: +49 5231 14-0  
Fax: +49 5231 14-292083  
www.weidmueller.com



Assembled IE cables

**General ordering data**

Type	IE-CSQS9VE0260AQEAQE-K1
Order No.	<a href="#">1465850260</a>
Version	System cable, V14 hybrid (shielded), V14 hybrid (shielded), PVC, 26 m, Hybrid
GTIN (EAN)	4050118272437
Qty.	1 pc(s).

**Industrial Ethernet  
IE-CSQS9VE0260AQEAQE-K1**

**Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 16  
D-32758 Detmold  
Germany  
Fon: +49 5231 14-0  
Fax: +49 5231 14-292083  
www.weidmueller.com

**Technical data**

**Dimensions and weights**

Length	26 m	Length (inches)	1.024 inch
Net weight	240 g	Insulation cross-section	1.25 mm

**Temperatures**

Operating temperature, max.	80 °C	Operating temperature, min.	-40 °C
Operating temperature	-40 °C...80 °C	Storage temperature	
Installation temperature			

**Environmental Product Compliance**

REACH SVHC	Lead 7439-92-1
------------	----------------

**Electrical properties**

Insulation strength	> 500 MΩ	Operating voltage	300 V
---------------------	----------	-------------------	-------

**Standards**

Connector standard	IEC 61076-3-119 CDV, IEC 61076-3-117 Var. 14
--------------------	--

**Cable structure**

Cable layout	Hybrid cable, for permanent installation	Cross-section	2 x 0.34 mm <sup>2</sup> + 7 x 0.5 mm <sup>2</sup>
Insulation	PP	Insulation cross-section	1.25 mm
Overlap of shielding braid	85 %	Material sheath	PVC
Sheath diameter, min.	9.1 mm	Sheath diameter, max.	9.5 mm
Sheathing colour	black		

**Electrical properties of cable**

Operating voltage	300 V	Insulation strength	> 500 MΩ
-------------------	-------	---------------------	----------

**plug**

Connector left	V14 hybrid (shielded)	Connector right	V14 hybrid (shielded)
----------------	-----------------------	-----------------	-----------------------

**Classifications**

ETIM 5.0	EC000748	ETIM 6.0	EC000993
eClass 6.2	27-06-03-90	eClass 7.1	27-06-03-90
eClass 8.1	27-06-03-90	eClass 9.0	27-06-20-01
eClass 9.1	27-06-90-90		

**Approvals**

Approvals



ROHS	Conform
------	---------

**Data sheet****Industrial Ethernet  
IE-CSQS9VE0260AQEAQE-K1**

**Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 16  
D-32758 Detmold  
Germany  
Fon: +49 5231 14-0  
Fax: +49 5231 14-292083  
www.weidmueller.com

**Technical data****Downloads**

---

Brochure/Catalogue	<a href="#">FL FIELDWIRING EN</a> <a href="#">PI PROFINET CABLING EN</a>
User Documentation	<a href="#">MAN IE GUIDE DE</a> <a href="#">MAN IE GUIDE EN</a>

---


**Data sheet**

**Industrial Ethernet  
IE-CSQS9VE0260AQEAQE-K1**

**Weidmüller Interface GmbH & Co. KG**  
 Klingenbergstraße 16  
 D-32758 Detmold  
 Germany  
 Fon: +49 5231 14-0  
 Fax: +49 5231 14-292083  
 www.weidmueller.com

**Drawings**

**Wiring**



STROMABLAUF  
 PAAR 1 (RED)

PA	BEZUG	BEZUGSPUNKT
1	1 (RED)	1 (RED)
2	2 (RED)	2 (RED)
3	3 (RED)	3 (RED)
4	4 (RED)	4 (RED)
5	5 (RED)	5 (RED)
6	6 (RED)	6 (RED)
7	7 (RED)	7 (RED)
8	8 (RED)	8 (RED)
9	9 (RED)	9 (RED)
10	10 (RED)	10 (RED)