Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

sources			to 13 with regard to energ	By labeling of light		
Supplier's name or trade mark: SLV Supplier's address: Axel Kranz, Daimlerstraße 21-23 52531 Übach-Palenberg Germany						
Type of light so	urce:					
Lighting technol	logy used:	LED	Non-directional or directional:	NDLS		
Light source cap-type (or other electric interface)		Unbekannt				
Mains or non-mains:		NMLS	Connected light source (CLS):	No		
Colour-tuneable light source:		No	Envelope:	-		
High luminance light source:		No				
Anti-glare shield:		No	Dimmable:	No		
		Product para	meters	1		
Parameter		Value	Parameter	Value		
		General product	parameters:			
Energy consumption in on- mode (kWh/1000 h), rounded up to the nearest integer		44	Energy efficiency class	F		
Useful luminous flux (фuse), indicating if it refers to the flux in a sphere (360°), in a wide cone (120°) or in a narrow cone (90°)		3 614 in Sphere (360°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	4 000		
On-mode power (P _{on}), expressed in W		43,8	Standby power (P _{sb}), expressed in W and rounded to the second decimal	0,00		
Networked standby power (P _{net}) for CLS, expressed in W and rounded to the second decimal		<u>-</u>	Colour rendering index, rounded to the nearest integer, or the range of CRI-values that can be set	90		
Outer dimensions	Height	4	Spectral power	See image		
	Width	12	distribution in the	in last page		
without	Depth	5 020		Page 1 /		

separate control gear, lighting control parts and non- lighting control parts, if any (millimetre)		range 250 nm to 800 nm, at full-load				
Claim of equivalent power ^(a)	-	If yes, equivalent power (W)	-			
		Chromaticity	0,381			
		coordinates (x and y)	0,379			
Parameters for LED and OLED light sources:						
R9 colour rendering index value	78	Survival factor	1,00			
the lumen maintenance factor	0,96					

(a)'-': not applicable; (b)'-': not applicable;

