## **Product Information Sheet**

without

Depth

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

sources	recording neodi		o 13 Will regard to eller	By ladeling of light	
Supplier's name	e or trade mark:	OSRAM			
Supplier's addr	ess: LEDVANCE G	imbH, Parkring 33, 0	Garching, Germany		
Model identifie	er: AC34326				
Type of light so	urce:				
Lighting technology used:		МН	Non-directional or directional:	NDLS	
Light source cap	o-type	RX7s-24			
(or other electri	ic interface)				
Mains or non-mains:		NMLS	Connected light source (CLS):	No	
Colour-tuneable	e light source:	No	Envelope:	Second	
High luminance	light source:	No			
Anti-glare shield	d:	No	Dimmable:	No	
Product parameters					
Parameter		Value	Parameter	Value	
General product parameters:					
<u> </u>	mption in on- 100 h), rounded st integer	155	Energy efficiency class	G	
Useful luminous flux (φuse), indicating if it refers to the flux in a sphere (360°), in a wide cone (120°) or in a narrow cone (90°)		12 000 in Sphere (360°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	3 100	
On-mode power (P <sub>on</sub> ), expressed in W		154,7	Standby power (P <sub>sb</sub> ), expressed in W and rounded to the second decimal	0,00	
Networked standby power (P <sub>net</sub> ) for CLS, expressed in W and rounded to the second decimal		-	Colour rendering index, rounded to the nearest integer, or the range of CRI-values that can be set	70	
Outer dimensions	Height Width	135 23	Spectral power distribution in the	See image in last page	

separate control gear, lighting control parts and non- lighting control parts, if any (millimetre)	range 250 nm to 800 nm, at full-load	
Claim of equivalent power <sup>(a)</sup>	- If yes, equivalent power (W)	-
	Chromaticity coordinates (x and y)	0,427

(a)'-': not applicable; (b)'-': not applicable;

