Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light

sources	ALLEGATED TREGOT	L/111011 (LO) 2013/ 20	ora with regard to effer	by labeling of light
Supplier's name	e or trade mark:	OSRAM		
Supplier's addr	ess: LEDVANCE G	imbH, Parkring 33, G	Garching, Germany	
Model identifie	er: AC34058			
Type of light so	urce:			
Lighting techno	logy used:	LFL_T5_HO	Non-directional or directional:	NDLS
Light source cap-type (or other electric interface)		G5		
Mains or non-mains:		NMLS	Connected light source (CLS):	No
Colour-tuneable	e light source:	No	Envelope:	-
High luminance light source:		No		
Anti-glare shield:		No	Dimmable:	Yes
		Product para	meters	
Parameter		Value	Parameter	Value
		General product p	arameters:	
Energy consumption in on- mode (kWh/1000 h), rounded up to the nearest integer		54	Energy efficiency class	F
Useful luminous flux (φuse), indicating if it refers to the flux in a sphere (360°), in a wide cone (120°) or in a narrow cone (90°)		5 000 in Sphere (360°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	3 000
On-mode power (P _{on}), expressed in W		53,9	Standby power (P _{sb}), expressed in W and rounded to the second decimal	0,00
Networked standby power (P _{net}) for CLS, expressed in W and rounded to the second decimal		-	Colour rendering index, rounded to the nearest integer, or the range of CRI-values that can be set	80
Outer	Height	1 163	Spectral power	See image
dimensions without	Width	16	distribution in the	in last page
without	Depth	16		

separate control gear, lighting control parts and non- lighting control parts, if any (millimetre)	range 250 nm to 800 nm, at full-load	
Claim of equivalent power ^(a)	- If yes, equivalent power (W)	-
	Chromaticity coordinates (x and y)	0,440

(a)'-': not applicable; (b)'-': not applicable;

