## **Product Information Sheet**

without

Depth

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

	sources	ora with regard to energ	gy labelling of light				
Supplier's name or trade mark: OSRAM							
	Supplier's address: LEDVANCE GmbH, Parkring 33, Garching, Germany						
	Model identifie	Model identifier: AC34060					
	Type of light sou	urce:					
	Lighting technol	ogy used:	LFL_T5_HO	Non-directional or directional:	NDLS		
	Light source cap	-type	<b>G</b> 5				
	(or other electri	c interface)					
	Mains or non-m	ains:	NMLS	Connected light source (CLS):	No		
	Colour-tuneable	e light source:	No	Envelope:	-		
	High luminance	light source:	No				
	Anti-glare shield	l:	No	Dimmable:	Yes		
			Product parameters				
	Parameter		Value	Parameter	Value		
General product parameters:				T	_		
	Energy consumption in on- mode (kWh/1000 h), rounded up to the nearest integer		54	Energy efficiency class	G		
	Useful luminous indicating if it resin a sphere (36 cone (120º) or in (90º)	efers to the flux 50º), in a wide	4 750 in Sphere (360°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	6 500		
	On-mode p expressed in W	ower (P <sub>on</sub> ),	53,9	Standby power (P <sub>sb</sub> ), expressed in W and rounded to the second decimal	0,00		
	Networked standby power (P <sub>net</sub> ) for CLS, expressed in W and rounded to the second decimal		-	Colour rendering index, rounded to the nearest integer, or the range of CRI-values that can be set	80		
	Outer dimensions	Height	1 163	Spectral power distribution in the	See image in last page		
		Width	16		iii iast page		

separate control gear, lighting control parts and non- lighting control parts, if any (millimetre)	range 250 nm to 800 nm, at full-load	
Claim of equivalent power <sup>(a)</sup>	- If yes, equivalent power (W)	-
	Chromaticity coordinates (x and y)	0,313

(a)'-': not applicable; (b)'-': not applicable;

