Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light

sources	PELLOATED REGOT	-A11014 (E0) 2013/2	ots with regard to energ	gy labelling of light	
Supplier's name	e or trade mark:	OSRAM			
Supplier's address: LEDVANCE GmbH, Parkring 33, Garching, Germany					
Model identifie	er: AC34064				
Type of light so	urce:				
Lighting techno	logy used:	LFL_T5_HO	Non-directional or directional:	NDLS	
Light source cap-type		G5			
(or other electric interface)					
Mains or non-m	nains:	NMLS	Connected light source (CLS):	No	
Colour-tuneable	e light source:	No	Envelope:	-	
High luminance light source:		No			
Anti-glare shield	d:	No	Dimmable:	Yes	
Product parameters					
Parameter		Value	Parameter	Value	
		General product p			
Energy consumption in on- mode (kWh/1000 h), rounded up to the nearest integer		81	Energy efficiency class	G	
Useful luminous flux (фuse), indicating if it refers to the flux in a sphere (360°), in a wide cone (120°) or in a narrow cone (90°)		7 000 in Sphere (360°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	4 000	
On-mode pexpressed in W	oower (P _{on}),	80,4	Standby power (P _{sb}), expressed in W and rounded to the second decimal	0,00	
Networked standby power (P _{net}) for CLS, expressed in W and rounded to the second decimal		-	Colour rendering index, rounded to the nearest integer, or the range of CRI-values that can be set	80	
Outer	Height	1 463	Spectral power	See image	
dimensions	Width	16	distribution in the	in last page	
without	Depth	16		Page 1 / 3	

separate control gear, lighting control parts and non- lighting control parts, if any (millimetre)	range 250 nm to 800 nm, at full-load	
Claim of equivalent power ^(a)	- If yes, equivalent power (W)	-
	Chromaticity coordinates (x and y)	0,380

(a)'-': not applicable; (b)'-': not applicable;

