Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

Supplier's name or trade mark:	MAUL
--------------------------------	------

Supplier's address: Jakob Maul GmbH, Jakob-Maul-Str. 17 D-64732 Bad König

Model identifier: 8261209.200

Type of light source:				
Lighting technology used:	LED	Non-directional or directional:	NDLS	
Light source cap-type	Leiterplatten			
(or other electric interface)	Anschlussklemmen			
Mains or non-mains:	NMLS	Connected light source (CLS):	No	
Colour-tuneable light source:	No	Envelope:	-	
High luminance light source:	No			
Anti-glare shield:	No	Dimmable:	Yes	
Product parameters				
Parameter	Value	Parameter	Value	
General product parameters:				
Energy consumption in on- mode (kWh/1000 h), rounded up to the nearest integer	6	Energy efficiency class	G	
Useful luminous flux (фиse),	502 in	Correlated colour	6 500	

mode (KWII) 1000 III, Todilaca		Class	
up to the nearest integer			
Useful luminous flux (фиse),	502 in	Correlated colour	6
indicating if it refers to the flux	Sphere (360°)	temperature,	
in a sphere (360º), in a wide		rounded to the	

in a sphere (360°), in a wide cone (120°) or in a narrow cone (90°)		rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	
On-mode power (P _{on}), expressed in W	5,7	Standby power (P _{sb}), expressed in W and rounded to the	0,00

On-mode expressed in V	power (P _{on}), V	5,7	Standby power (P _{sb}), expressed in W and rounded to the second decimal	0,00
for CLS, expre	ndby power (P _{net}) essed in W and e second decimal	-	Colour rendering index, rounded to the nearest integer, or the range of CRI-values that can be set	83
Outer	Height	130	Spectral power	See image
dimensions	Width	130	distribution in the	in last page
without	Depth	3		
•	•	•	•	Page 1

separate control gear, lighting control parts and non- lighting control parts, if any (millimetre)		range 250 nm to 800 nm, at full-load	
Claim of equivalent power ^(a)	Yes	If yes, equivalent power (W)	42
		Chromaticity	0,312
		coordinates (x and y)	0,328
Parameters for LED and OLED light sources:			
R9 colour rendering index value	10	Survival factor	1,00
the lumen maintenance factor	0,95		

(a)'-': not applicable; (b)'-': not applicable;

