Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

Supplier's name or trade mark: LEDVANCE

Supplier's address: LEDVANCE GmbH, Parkring 33, Garching, Germany

Model identifier: AC33727

Type of light source:

Lighting technology used:	LED	Non-directional or directional:	DLS		
Light source cap-type	GU5.3				
(or other electric interface)					
Mains or non-mains:	NMLS	Connected light source (CLS):	No		
Colour-tuneable light source:	No	Envelope:	-		
High luminance light source:	No				
Anti-glare shield:	No	Dimmable:	No		
Product parameters					

		Floudet para	lieters			
Parameter		Value	Parameter	Value		
General product parameters:						
	nption in on- 00 h), rounded st integer	5	Energy efficiency class	F		
indicating if it rain a sphere (30	us flux (фuse), efers to the flux 60º), in a wide n a narrow cone	350 in Narrow cone (90°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	2 700		
On-mode p expressed in W	oower (P _{on}),	3,8	Standby power (P _{sb}), expressed in W and rounded to the second decimal	0,00		
for CLS, expres	dby power (P _{net}) ssed in W and second decimal	-	Colour rendering index, rounded to the nearest integer, or the range of CRI- values that can be set	80		
Outer	Height	46	Spectral power	See image		
dimensions	Width	51	distribution in the	in last page		
without	Depth	51	1	Page 1 /		

separate control gear, lighting control parts and non- lighting control parts, if any (millimetre)		range 250 nm to 800 nm, at full-load					
Claim of equivalent power ^(a)	Yes	lf yes, equivalent power (W)	35				
		Chromaticity coordinates (x and y)	0,459				
Parameters for directional light sources:							
Peak luminous intensity (cd)	790	Beam angle in degrees, or the range of beam angles that can be set	36				
Parameters for LED and OLED light sources:							
R9 colour rendering index value	0	Survival factor	0,50				
the lumen maintenance factor	0,70						

(a)'-' : not applicable;

(b)_{'-'} : not applicable;

