Product Information Sheet

commission delegated regu sources	LATION (EU) 2019/20	015 with regard to ener	gy labelling of light			
Supplier's name or trade mark: PHILIPS Supplier's address: Customer Care Philips, I.B.R.S./C.C.R.I. /Numéro 10461, 5600VB Eindhoven, NL						
Type of light source:						
Lighting technology used:	LED	Non-directional or directional:	NDLS			
Light source cap-type	G4					
(or other electric interface)						
Mains or non-mains:	NMLS	Connected light source (CLS):	No			
Colour-tuneable light source:	No	Envelope:	-			
High luminance light source:	No					
Anti-glare shield:	No	Dimmable:	No			
	Product parar	meters				
Parameter	Value	Parameter	Value			
	General product p	arameters:				
Energy consumption in on- mode (kWh/1000 h), rounded up to the nearest integer	1	Energy efficiency class	F			
Useful luminous flux (фиse),	115 in	Correlated colour	2 700			

Product parameters						
Parameter		Value	Parameter	Value		
General product parameters:						
Energy consumode (kWh/10 up to the neare	DOO h), rounded	1	Energy efficiency class	F		
indicating if it in a sphere (3	us flux (φuse), refers to the flux 860º), in a wide in a narrow cone	115 in Sphere (360°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	2 700		
On-mode expressed in W	power (P _{on}),	1,0	Standby power (P _{sb}), expressed in W and rounded to the second decimal	0,00		
for CLS, expre	ndby power (P _{net}) essed in W and second decimal	-	Colour rendering index, rounded to the nearest integer, or the range of CRI-values that can be set	80		
Outer	Height	35	Spectral power	See image		
dimensions	Width	13	distribution in the	in last page		
without	Depth	13	1	 		

separate control gear, lighting control parts and non- lighting control parts, if any (millimetre)		range 250 nm to 800 nm, at full-load				
Claim of equivalent power ^(a)	Yes	If yes, equivalent power (W)	10			
		Chromaticity coordinates (x and y)	0,458			
Parameters for LED and OLED light sources:						
R9 colour rendering index value	0	Survival factor	0,90			
the lumen maintenance factor	0,93					

(a)'-': not applicable; (b)'-': not applicable;

