Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light

sources	PELEGATED REGUI	-ATION (EU) 2019/20	015 with regard to energ	gy labelling of light
Supplier's name	e or trade mark:	SLV		
Supplier's addre	ess: Axel Kranz, D	Daimlerstraße 21-23	52531 Übach-Palenberg	g Germany
Model identifie	r: 1004735			
Type of light so	urce:			
Lighting technol	logy used:	LED	Non-directional or directional:	NDLS
Light source cap-type		Unbekannt		
(or other electric interface)				
Mains or non-m	nains:	NMLS	Connected light source (CLS):	No
Colour-tuneable	e light source:	No	Envelope:	-
High luminance		No		
Anti-glare shield	d:	No	Dimmable:	No
		Product para		
Parameter		Value	Parameter	Value
		General product p		
Energy consumption in on- mode (kWh/1000 h), rounded up to the nearest integer		44	Energy efficiency class	F
Useful luminous flux (φuse), indicating if it refers to the flux in a sphere (360°), in a wide cone (120°) or in a narrow cone (90°)		3 363 in Sphere (360°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	3 000
On-mode power (P _{on}), expressed in W		43,8	Standby power (P _{sb}), expressed in W and rounded to the second decimal	0,00
Networked standby power (P _{net}) for CLS, expressed in W and rounded to the second decimal		-	Colour rendering index, rounded to the nearest integer, or the range of CRI-values that can be set	90
Outer dimensions	Height	4	Spectral power	See image
	Width	12	distribution in the	in last page
without	Depth	5 020		Page 1

separate control gear, lighting control parts and non- lighting control parts, if any (millimetre)		range 250 nm to 800 nm, at full-load			
Claim of equivalent power ^(a)	-	If yes, equivalent power (W)	-		
		Chromaticity	0,433		
		coordinates (x and y)	0,403		
Parameters for LED and OLED light sources:					
R9 colour rendering index va	lue 72	Survival factor	1,00		
the lumen maintenance fact	or 0,96				

(a)'-': not applicable; (b)'-': not applicable;

